

Concepts



↕

Your Rating: Results: 109 rates

In this place we put all concepts, variations & ideas

When writing concept pages:

- Provide short summary of what the page is about surrounded with {excerpt} macro to make it appear in TOC
- Mark each page on top with the {status} to clearly inform others about the status of the given concept.

Process notes:

- Structure by topic, not by status
- Use labels for status (draft, proposal, implemented)
- These pages are working material, not history. Project ownership should take care of moving, removing, cleaning up these pages as appropriate.
- See [Charta](#).

List of pages:

- [From concepts to technical documentation](#)
- [Concept paper Tips / Howto](#)
- [Copy of Template for new Concept Pages - Copy Me.](#)
- [Concepts M5](#)
 - [Concepts M5 - draft](#)
 - [Concept - Actions API and configuration](#)
 - [Concept - Alternative ui-project organisation](#)
 - [Concept - package reorganisation concretes](#)
 - [Concept - App API finalization](#)
 - [Concept - App Configuration and Naming](#)
 - [Concept - Basic Activation](#)
 - [Concept - Core and jaas split](#)
 - [Concept - DAM Workspace Structure](#)
 - [Concept - DAM: Workspace structure for assets with originals](#)
 - [Concept - Image Editor](#)
 - [Concept - Dialog and Forms](#)
 - [Concept - Form and FormBuilder](#)
 - [Concept - Improve UI development and quality](#)

- Concept - Managing asset browser caching
- Concept - Migration M5
- Concept - Review Process (Workflow)
- Concept - Security App
- Concept - Showcase App
- Concept - System Testing
- Concept - Undo and redo
- Repository dependencies split-up
- Concept - Message detail view
- Concept - UI theming and extensibility, level 2
- Concept - Support multiple node types in workbench
- Concept - Blazing fast vaadin trees
- Concept - Content app framework improvements
- Concept - Status bar in subapps
- Concept - Favorites
- Concept - Action availability and access control
- Concept - Error handling
- Concept - Architecture improvements
- Concept - App Branding
- Concept - Field refactoring
- Concept - Workbench consistency
- Concept - Delete Action
- Concept - New Categorization app
- Concept - Optimize M5 memory consumption
- Concept - Workshop app - Mobile author
- Concept - Better inheritance with extends
- Concept - Dialog Builder and Dialog for Definition
- Concept - Workflow finalisation
 - Workflow Roadmap
 - Workflow Configuration and Actions
- Concept - Form Module in M5
 - Code Text
 - Composite Field
 - Concept - Mail module in M5
 - Concept - Property Transformer
 - Copy of Twin-column
 - Multi Value Field
 - Switchable Field
- i18n in Magnolia 5
- Widgetset and browser support
 - Widgetset configuration concretes
- Moving and reordering content
- Concept - Multi-item Actions
- Concept - Keyboard Shortcuts
- Concept - Move Item
- Concept - Documentation of key UI constructs
- New concept for choose dialogs.
- Consolidate package names for various i18n-related features
- Concept - Explicit Full Text Parsing Configuration
- Handling completion of an Action
- Concept - Baidu Analytics () Integration — Allow Baidu Analytics tracking to be easily added to and configured for a STK site.
- Concept - STK improvements
- Data module migration
- Handling of path parameters such as JSESSIONID
- Concept - Developer And Support Tools for M5
- Concept - access to apps for superusers
- Concept - Soft Locking for Magnolia 5
 - Concept - PageEditorSubapp Vaadin extensions
- Public-user-registration improvements
- Concept - CTS Module Migration to M5 — Specifies the M5 Content Translation Support App resulting from migrating the M4.5 Content Translation Support module.
- Concept - Personalization
 - Concept - Personalization - AggregationState vs. @Injected + @LocalScoped new object (TraitCollector)
 - Concept - Personalization - Information gathering phase / open questions
 - Concept - Personalization - Milestones
 - Concept - Personalization - Segments preview
 - Concept - Personalization - Story feasibility

- Concept - Personalization - Trait Registry
 - Personalization and Cache
 - Personalization - Open issues / polishing tasks
- CKEditor integration
- Permissions for UI availability
- JCR-agnostic content apps
 - ActionAvailability JCR-dependent logic
 - Injection of DataSource within sub-app components
 - JCR-agnostic content apps - API Changelog
 - JCR-agnostic content apps - Draft points
 - Research notes on basic relieving the Content Apps from tight JCR dependencies.
- Concept - DAM & CMIS - Project definition
 - CMIS Provider module
 - CMIS Server module
 - DAM API Design Notes
 - DAM Module App
 - Imaging Module improvements for DAM and external assets
 - Implementation Plan
 - Link API improvements
- Concept - Light dialogs
- Concept - Ramp - (Lower entry barriers)
 - Concept - Demo Library
- Concept - Long running actions intermediate solution
- Enhance the behavior of complex fields
- Concept - Canto Cumulus Integration Estimate — Integration of Cumulus - DAM system by Canto
- Concept - Canto Cumulus Integration — Integration of Cumulus - DAM system by Canto.
- Concept - Autosuggest in Configuration Tree — Make the Configuration App easier to use by making suggestions when the user is editing the tree and by flagging potential mistakes.
- Visual Definition Editing
- Concept - Asset API App
- Concepts 5.4
 - Capability Matrix of a person in Magnolia based on skills
 - ClasspathResourceOrigin refactoring
 - Concept - Config By X
 - Concept - Config By File
 - Concept - Reloadable Config
 - Config By X - Background and research
 - Config By X - File format discussions
 - Config By X - Platform working document
 - Configuration via Groovy scripts
 - New Configuration Mechanism (3 sprint effort summary)
 - Concept - Configuration tree optimizations
 - Concept - Copy and Paste in Configuration Tree
 - Concept - Diff and Merge Tool for Configuration Tree
 - Concept - Error Highlighting in Configuration Tree
 - Concept - Fast Inline Editing in Configuration Tree
 - Concept - Help System for Configuration Tree
 - Concept - Incremental Search and Filtering in Configuration Tree
 - Concept - Integrate STK features into Magnolia
 - Concept - Integration hooks for frontend build tools
 - Concept - IoC Multi-Binding
 - Concept - Minimal Template Kit
 - Concept - Prevent Dangerous Changes to Configuration Tree
 - Concept - Prevent Publication of Author Only Configuration
 - Concept - Resource Loading Cascade
 - Concept - Visualize Inherited Nodes and Properties in Configuration Tree
 - Dates, Times and Timezones
 - Initiative - TwitterBootstrap Templating Kit
 - Prepare Registry and RegistryFacade API's for the new Definitions app
 - Right-To-Left support in Admincentral
 - Unified file resource loading cascade
 - Why an improved Callback action for dialogs/forms is needed?
- Memory leak hunt
- Concept - new Form Module
- Core split
- Issues of managing field default values, read-only state and locale
- Concepts and ideas for improving the UI test infrastructure

- Loading Groovy files via Resources API
- NPM CLI
 - Magnolia packages on the public npm server with scope
 - NPM repository on nexus
- Preferences and User profile
- Serialization issues
- Dynamic forms and cross-field validation
 - Dynamic forms - PoC phase
- Log4j2 upgrading
 - Log4j2 upgrading (cont)
- DAM Naming strategy
- I18n Translations vs. MessageFormat
- Copy of Referencing classes in configuration via aliases
- Virtual URI Mappings cleanup
- Content Types
 - 2017-07-12 Content Types Discussion
 - 2017-07-26 Workshop: Content Types and data sources
 - 2017-08-31 Workshop: Content Types follow-up — We aimed at simplifying the overall effort; we envisioned a production-ready foundation, to build further features upon (keeping these compartmented to follow-up stories). We also crafted proto-defs of a content-type definition, its related app descriptor and endpoint definition.
- Reference Resolve
- Vaadin 8 and UI framework overhaul — Magnolia 5.6 was upgraded to Vaadin 8, using the compatibility—now deprecated—v7 packages.
- Concepts M5 - approved
 - Concept - Migration to 4.5 (Version 1.2)
- Concepts M5 - implemented
 - CKEditor integration in Magnolia 5
 - Concept - Action Popup (AKA Secondary Menu, Context Menu)
 - Concept - Admincentral ACLs migration task
 - Concept - App Framework and Sub Apps
 - Concept - App Framework and Tabbed editing view of items
 - Concept - Design iteration for a more compact visual look
 - Concept - Dialog Migration from 4.5.x to 5.x
 - Concept - Dynamic Page Caching
 - Concept - Legacy admininterface
 - Concept - Marketing tags manager — Marketing tags manager allows the user to create marketing tags and choose which pages to insert them into.
 - Concept - MetaData as mixin
 - Concept - metaData content & nodeTypeDefinition migration task
 - Concept - Migration from DMS to DAM
 - Concept - Migration to Vaadin7
 - Concept - Move Item Action vs Drag and Drop
 - Concept - Node2Bean
 - Concept - Project restructuring
 - Concept - Remove system wide lock
 - Concept - RenderingContext-independent exception handler
 - Concept - REST client
 - Concept REST module
 - Use cases for integration with a REST interface
 - Concept - Search and Sort for Content Apps
 - Search revisited
 - Concept - Shell Viewports and Transition Delegates
 - Concept - Tasks in Pulse
 - Concept - UI Showcase App. Shows all available UI elements.
 - Concept - Upgrade CKEditor 4.0
 - Copy of Google Sitemap app
 - Dam API 1.0 documentation
 - I18n keys - implemented
 - Migration process for template from inplace-templating to resources
 - REST webservice
- Concepts M5 - Planned
- Copy of Default actions for dialogs - possible solutions summary
- Concepts - draft and approved
 - A-B and Multi-Variate Testing
 - Concept - Improvements on Form Module, PUR and Commenting
 - Concept - Rendering Context
 - Concept - Separation of repository implementation from core

- Proposal - merging of URI2RepositoryMapping and VirtualURIMappings
- Overhaul and refactoring of AggregationState
- Proposal - prefixing or namespacing of certain properties in paragraphs
- Project definition concept
- Concept Public Versioning
- Concept Static Publishing
- Concept C2BDoc
- Proposal - core packages
- Concept Module downloader updater
- Concept Standalone bundles
- Concept Diagnostics
- OSGi notes
- Concept Form Handler
- Spam handling
- Concept Caching In Clustered Env
- Concept - Cache Improvements
- Google AppEngine, Magnolia and JCR
- Concept Recovery
- Concept - Serving content based on recency decay bias
- Social publishing
- Concept Import Handler
- Concept Activation
- Module Descriptor Generator (maven plugin)
- Parallel Activation
- Concept - Link generation
- Removal of system-wide lock
- Events and calendars
- Concept - synchronization and locking on activation
- Clustering
- Concept Demo-Content
- Concept - Event mechanism
- Concept i18n mixed trees and multi-url support
- Concept - In Page Statistics, Empower the Authors
- Concept LDAP authentication for more servers
- Concept Maps
- Concept Security and ACLs
- Concepts - planned
 - Concept taglib cleanup, extraction, rewrite
 - Templating - Proposal
 - Concept - Configurable cache constraints on renderables
 - Copy of Offer alternative format for JCR bootstraps beside XML
 - Concept Activation Authentication
 - Concept - Branching
 - Concept - Multi Channel
 - Concept - Resources Module / Faceted Search / SolR
 - Concept - selectors
 - Mobile Website - Concept
 - Creating a mobile site with STK
 - Handling Mobile High-Density Displays
 - Mobile Website - 1to1 implementation
 - Sprint 2
 - OpenId
- Content2Bean suggestions
- Jaas and UserManagers
- Magnolia Portal module - gadget container
- RenderingModel population by content
- Site security handling
- Concept Blog module
- Concept Filter exception handler
- Concept - Move AuditLog from Content API to JCR API
- Templating function - add possibility get ContentMap for the given path or identifier, add i18n wrapper
- Comparing screenshots of pages
- Concept Long Running Actions
- Concept - App to create Content and Survey Apps based on an Excel Sheet
- Concept Dynamic Servlet Mapping
- Concept - Cache arbitrary objects
- Concept - partial caching

- Concept - Link API overhaul
 - Concept - Link API review for M5
 - Concept - Linking with any app content
 - Concept - uuid or permanent links
- Scheduled Publication rework
- Concept - ReferenceField - Allow for checking dependencies to any workspace (configurable)
- Concept - Silverpop integration
- CE and EE packs
- Google Analytics visualization
- Consolidating representation of Classpath Resources
- YAML Configuration source changes should update registry
- Concept - Commerce tools integration
- Concept - Improvements in the security package
- Concept - New mixin to avoid excessive access to the version store while browsing content
- Import JCR content via light development
- Concept - Systools script cleanup
- Concept Dynamic module management
- Concept - Micro public instance
- Documentation backlog
 - Concepts - documented
 - Apache Solr - Magnolia integration
 - Concept - Account lockout
 - Concept Backup
 - Backup UI Proposal
 - JR BackupTool
 - PersistenceManager based Backup
 - Concept - Cache Streaming
 - Concept Caching
 - Concept - CMIS integration
 - Concept Commenting
 - Concept Content API review or rewrite
 - Concept Deployment
 - Concept - EhCache upgrade
 - Concept field based saveHandler
 - Concept Google Analytics
 - Concept Google SiteMap
 - Concept Google SiteMap M5
 - Concept Groovy Support
 - Concept i18n next steps
 - Concept IOC in Magnolia
 - Components in Magnolia
 - Guice implementation
 - IoC Container decision table
 - PicoContainer-specific notes
 - Concept mixin versionable
 - Concept - ModeShape repository backend
 - Concept - multisite support
 - Concept Multi-step forms
 - Concept Multi-value
 - Concept Observation module
 - Concept Page Locking
 - Concept Preexecution of paragraph models — This page describes the mechanism of preexecution of paragraph models and design decisions taken.
 - Concept provided users roles and groups
 - Concept - Rendering Engine
 - Concept - Requests to content snippets
 - Concept Short-urls
 - Concept - simplified content config updates
 - Concept Synchronization
 - Concept Tags & TagClouds
 - Concept Transactional Activation
 - Concept - Uncoupling deletion and de-activation
 - Concept WebDAV
 - WebDAV notes
 - WebDAV support matrix
 - webdav & windows vista
 - WebDAV - mapping with WebDrive

- Concept Web Shop Module
 - Concept - comparison shopping
 - Notes for the technical and user guides
 - Shop Module Version 2.3.0 - Goals
 - Configuring a password retrieval strategy
 - Google Spreadsheet Exporter for Content Translation Module
 - Imaging module
 - Magnolia Data Module Extensions - Mixed type hierarchies
 - Magnolia Module Device Detection
 - Module's localization process
 - Module store
 - Node builder API
 - Support multiple HttpClientCallback by default
 - Unicode support status
 - UTF-8 page names
- Concepts - implemented
 - Concept Link Resolving
 - Concept QueryUtil
 - Indexing configuration - optimizations for Magnolia 5
 - Concept forum synchronizer
 - Concept - Cache Header Negotiation
 - Concept - Activation monitoring
 - Concept - Protect against CSRF attacks
- External indexing and enhanced solr integration
- Concept - outdated obsolete or abandoned
 - Concept - first iteration DAM 2.0 & CMIS
 - Concept outdated - DAM 1.0 migration tasks
 - Concept outdated - DAM 1.0 (Review)
 - Concept - DAM 1.0 future improvements
 - Concept outdated - DAM 1.0 Asset Metadata
 - Current implementation
 - Concept outdated - DAM 1.0 improvements: Use DAM API in Assets App
 - Concept outdated - DAM: Digital Asset Management (Replacement for DAMSupport)
 - Concept outdated - DAM API 1.0
 - Concept outdated - DAM As a author I can manage videos in the DAM so that I can use them in pages.
 - Concept outdated - DAM links in rich text field
- Concepts 4.5
- Concept - JCR Export for Developers
- App Week
 - Concept - App Creator2
 - Concept - Project Creator App
- Concept - How to work with wrapped nodes in JcrNodeAdapter
- I18n keys
 - I18n keys consistency - work document
 - I18n keys - Currently supported
 - I18n keys - with strikethroughs
 - Minimal required changes
- Support for cascading Yaml configuration update
- Separation of CSS for component personalization
- Storing of activation status
- Component personalization 5.4.x webapp
- Concept - Open Closed Code Space
- Copy It's possible to open multiple instances of the same dialog
- Meta concept
- Centralized Dependency Management
- Impossible of determine latest published version while synchronize content to public instance
- UI Bottom lift UI Action vs Platform commands
- How to get by without JCR Item adapters
- Separation between execution context and JCR session
- Periscope
 - Result Ranking Neural Network
- Content app framework improvements
 - Browser sub-app structural changes
 - Databinding improvements
 - Databinding in Grids
 - Datasource bundles
 - Dependency injection additions

- Design patterns in UI content app
- Possibly outdated: Form layouting
- Selection fields
- UI improvements future plans
- View contexts
- View interface extensions
- Image recognition
- RestSearchResultSupplier with JsonPath
- Referencing Fields by their names instead of Fully Qualified Classname
- How to Deprecate YAML Definitions
- Generic TypeResolver for annotated implementations
- Migrating content of changed Content Type
- Replacement for ActionBar
- Concept - Cyclic detection for Virtual URI Mappings
- Concept - First matches for virtual URI mappings
- Generate preview on JCR-nodes that have changes
- Cloud enablement - Imaging and external DAM